

From: ["Sheldrake, Sean"](#)
To: ["Young, Howard S." <younghs@cdmsmith.com>](#)
["Zhen, Davis" <Zhen.Davis@epa.gov>](#)
CC: ["Scott Coffey" <coffeyse@cdmsmith.com>](#)
["Trump, Julee M." <trumpjm@cdmsmith.com>](#)
["Greazel, Andrew" <GreazelAD@cdmsmith.com>](#)
Date: 4/6/2018 12:38:24 PM
Subject: RE: Daily status report April 5, 2018, Pre-Remedial Design Investigation and Baseline Sampling, Portland Harbor Superfund Site delib
Attachments: Daily Status Report_Portland Harbor_20180405_SurfaceSed.docx

Thanks Howard, so thus far, no issues with taking the sample in the exact spot prescribed in the random stratified? Would like updates when they have to go to the backup locations if possible.

S

Sean Sheldrake RPM, Unit Diver Officer
U.S. Environmental Protection Agency
1200 Sixth Avenue, Suite 155, M/S DOC-01
Seattle, WA 98101
206.553.1220 desk
206.225.6528 cell
<https://www.epa.gov/scientific-diving>
<https://www.facebook.com/EPADivers>
<https://www.epa.gov/superfund/portland-harbor>

-----Original Message-----

From: Young, Howard S. [mailto:younghs@cdmsmith.com]
Sent: Friday, April 6, 2018 12:14 PM
To: Sheldrake, Sean <sheldrake.sean@epa.gov>; Zhen, Davis <Zhen.Davis@epa.gov>
Cc: Scott Coffey <coffeyse@cdmsmith.com>; Trump, Julee M. <trumpjm@cdmsmith.com>; Greazel, Andrew <GreazelAD@cdmsmith.com>
Subject: Daily status report April 5, 2018, Pre-Remedial Design Investigation and Baseline Sampling, Portland Harbor Superfund Site

Sean and Davis,

Attached is the daily report for the oversight of the surface sediment sampling on Thursday. Surface sediment sampling will continue throughout the weekend and we are planning to resume oversight on Monday.

Please contact me if you have any questions.

Howard S. Young, LG | CDM Smith
14432 SE Eastgate Way, Suite 100 | Bellevue, WA 98007-6493
T: 425.519.8300 | Direct 425.519.8351 | Cell 206.491.4663 | younghs@cdmsmith.com | www.cdmsmith.com